

P64ES



Product Family
Built-in type
Dimensions
Power supply
Type
EAN code

Hob
Traditional
60 cm
Gas
Gas
8017709179151



Aesthetics



Aesthetic
Colour
Finishing
Material
Type of steel
Pan stands
Pan Stand Coating
Burners
Burners Material
Burner Coating
Type of control setting
Control knob position
No. of controls
Controls colour
Logo

Piano Design
Stainless steel
Glossy
Stainless Steel
Polished
Stainless steel
EverShine
Piano Design
Stainless steel
EverShine
Control knobs
Front
4
Steel effect
Embossed

Program / Functions

No. of gas cook zones 4
Total no. of cook zones 4

Options



Worktop Cut-Out

478-482x555-560 mm

Technical Features

Front-left - Gas - Semi Rapid - 1.70 kW

Rear-left - Gas - Rapid - 2.40 kW

Rear-right - Gas - Rapid - 3.00 kW

Front-right - Gas - AUX - 0.90 kW

Gas safety valves Yes


Automatic Ignition Yes

Electrical Connection

Electrical connection rating (W)	1 W	Frequency (Hz)	50/60 Hz
Voltage (V)	220-240 V	Power supply cable length	120 cm
Type of electric cable installed	Yes, Single phase	Plug	Not present

Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Conical
Gas connection	Cilindrical	Gas connection rating (W)	8000 W
Other gas nozzles included	G30 GPL Liquid gas		



Compatible Accessories

GP64ES



St. Steel pan stands and burner caps

Symbols glossary



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.



Knobs control



CUT_OUT_STANDARD_72dpi



Ever Shine: is an invisible coating that makes the effected area highly resistant to heat.