

# P864PO



Product Family	Hob
Built-in type	Traditional
Dimensions	60 cm
Power supply	Electric
Type	Ceramic
EAN code	8017709259983



## Aesthetics



Aesthetic	Coloniale
Colour	Cream
Material	Verniciato
Frame	Yes
Frame colour	Cream
Type of control setting	Control knobs
Control knob position	Front
No. of controls	4
Controls colour	Antique brass
Components finishing	Antique brass
Logo	Silk screen
Serigraphy colour	Gold
Alternative colours available	Anthracite

## Program / Functions

No. of ceramic cook zones	4
Total no. of cook zones	4

## Options

Worktop Cut-Out	490x560 mm
-----------------	------------

## Technical Features

Front-left - Ceramic - Single - 2.00 kW - Ø 18.0 cm  
 Rear-left - Ceramic - Single - 1.20 kW - Ø 14.0 cm  
 Rear-right - Ceramic - Single - 2.40 kW - Ø 21.0 cm  
 Front-right - Ceramic - Single - 1.20 kW - Ø 14.0 cm


**Minimum pan diameter indication** Yes

**Protection against accidental start up** Yes

## Electrical Connection

**Electrical connection rating (W)** 6600 W  
**Current** 20 A  
**Voltage (V)** 220-240 V  
**Voltage 2 (V)** 380-415 V  
**Type of electric cable installed** Yes, Three-phase

**Additional connection modalities** Yes, Single and Double phase  
**Frequency (Hz)** 50/60 Hz  
**Power supply cable length** 150 cm  
**Terminal box** 6 poles  
**Plug** Not present



---

## Compatible Accessories

---

### 5MP700AO

Hob knobs set - Cortina Anthracite/Old brass for Gas on Glass hobs



### 5MP800A

Hob knobs set - Coloniale Gold/Anthracite for gas on glass hobs



### SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs



### 5MP700PO

Hob knobs set - Cortina Cream/Old brass for Gas on Glass hobs



### 5MP800P

Hob knobs set - Coloniale Gold/Cream for gas on glass hobs



---

## Alternative products

---



**P864AO**

**Colour:** Anthracite

---

## Symbols glossary

---



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.



Knobs control



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.