


# P875AO



Product Family  
Built-in type  
Dimensions  
Power supply  
Type  
EAN code

Hob  
Traditional  
70/75 cm  
Electric  
Ceramic  
8017709259990



## Aesthetics



Aesthetic	Coloniale
Colour	Anthracite
Material	Verniciato
Frame	Yes
Frame colour	Anthracite
Type of control setting	Control knobs
Control knob position	Front
No. of controls	5
Controls colour	Antique brass
Components finishing	Antique brass
Serigraphy colour	Gold
Alternative colours available	Cream

## Programme / Functions

Total no. of cook zones	5
No. of ceramic cook zones	5
Power levels	6

## Options

Worktop Cut-Out	490x685 mm
-----------------	------------

## Technical Features



Front-left - Ceramic - Single - 1.80 kW - Ø 18.0 cm  
 Rear-left - Ceramic - Single - 1.20 kW - Ø 14.0 cm  
 Central - Ceramic - Single - 2.00 kW - 15.0x25.0 cm  
 Rear-right - Ceramic - Single - 2.40 kW - Ø 21.0 cm  
 Front-right - Ceramic - Single - 1.20 kW - Ø 14.0 cm

**Minimum pan diameter indication** Yes


**Residual heat indicator** Yes

**Automatic switch off when overheat** Yes

## Electrical Connection

**Electrical connection rating (W)** 8600 W  
**Current** 24 A  
**Voltage (V)** 220-240 V  
**Voltage 2 (V)** 380-415 V  
**Type of electric cable installed** Yes, Three-phase

**Additional connection modalities** Yes, Single and Double phase  
**Frequency (Hz)** 50/60 Hz  
**Power supply cable length** 150 cm  
**Terminal box** 6 poles



---

## Not included accessories

---

### 5MP800A

Hob knobs set - Coloniale  
Gold/Anthracite for gas on glass hobs



### 5MP800P

Hob knobs set - Coloniale Gold/Cream  
for gas on glass hobs



### 5MP700PO

Hob knobs set - Cortina Cream/Old  
brass for Gas on Glass hobs



### 5MP700AO

Hob knobs set - Cortina  
Anthracite/Old brass for Gas on Glass  
hobs



### SCRP

Non-scratch hob scraper - suitable for  
induction and ceramic hobs



---

## Symbols glossary (TT)

---



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Knobs control