


P875P0





EAN code

Product Family Hob Built-in type **Traditional** 70/75 cm **Dimensions** Power supply Electric Type Ceramic 8017709260002



Aesthetics



Aesthetic Coloniale Colour Cream Material Verniciato Yes Frame Frame colour Cream Type of control setting Control knobs Front

Control knob position No. of controls

Controls colour Antique brass Components finishing Antique brass

Serigraphy colour Gold Alternative colours available Anthracite

Programs / Functions

No. of ceramic cook zones 5 Power levels 6 Total no. of cook zones

Options

Worktop Cut-Out 490x685 mm

Technical Features

SMEG SPA 24/4/2025







Front-left - Ceramic - Single - 1.80 kW - \emptyset 18.0 cm

Rear-left - Ceramic - Single - 1.20 kW - Ø 14.0 cm

Central - Ceramic - Extendable - 2.00 kW - 15.0x25.0 cm

Rear-right - Ceramic - Double - 2.40 kW - Ø 21.0 cm Front-right - Ceramic - Single - 1.20 kW - Ø 14.0 cm

Minimum pan diameter Ye

indication

Automatic switch off Yes

when overheat

Residual heat indicator Yes

Electrical Connection

Plug Not present
Electrical connection 8600 W
rating (W)
Current 24 A
Voltage (V) 220-240 V
Voltage 2 (V) 380-415 V

Type of electric cable installed
Additional connection modalities ph
Frequency (Hz) Yes

Power supply cable

length


Terminal box

Yes, Three-phase

Yes, Single and Double

phase 50/60 Hz 150 cm

6 poles



SMEG SPA 24/4/2025



Compatible Accessories

5MP700AO

Hob knobs set - Cortina Anthracite/Old brass for Gas on Glass hobs



5MP800A

Hob knobs set - Coloniale Gold/Anthracite for gas on glass hobs



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

5MP700PO

Hob knobs set - Cortina Cream/Old brass for Gas on Glass hobs



5MP800P

Hob knobs set - Coloniale Gold/Cream for gas on glass hobs



SMEG SPA 24/4/2025



Symbols glossary



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Knobs control

SMEG SPA 24/4/2025