

PC31GNO



| | |
|----------------|-------------------|
| Product Family | Hob |
| Built-in | Ultra-low profile |
| Dimensions | 30 cm |
| Power supply | Gas |
| Type | Gas |
| EAN code | 8017709199371 |



Aesthetics



| | |
|-------------------------|---------------|
| Aesthetics | Classic |
| Colour | Black |
| Finishing | Glass |
| Material | Glass |
| Glass on Steel | Yes |
| Pan stands | Cast iron |
| Type of control setting | Control knobs |
| Control knobs position | Front |
| No. of controls | 2 |
| Controls colour | Brass |
| Components finishing | Black |
| Logo | Silk screen |
| Serigraphy colour | Grey |

Program / Functions

| | |
|-------------------------|---|
| No. of gas cook zones | 1 |
| Total no. of cook zones | 1 |

Options

| | |
|------------------|--------------------|
| Standard cut out | 476-480x250-254 mm |
|------------------|--------------------|

Technical Features

UR

Central - Gas - UR - 6.00 kW


| | | | |
|-------------------|-----|--------------------|-----|
| Gas safety valves | Yes | Automatic Ignition | Yes |
|-------------------|-----|--------------------|-----|

Electrical Connection

| | | | |
|-------------------|-----------|---------------------------|----------|
| Nominal power (W) | 1 W | Frequency (Hz) | 50/60 Hz |
| Voltage (V) | 220-240 V | Power supply cable length | 120 cm |

Gas Connection

| | | | |
|----------------|--------------------|----------------------------|--------------------------------|
| Gas Type | G30 GPL Liquid gas | Other gas nozzles included | G110 City gas, G20 Natural gas |
| Gas connection | Conical | Gas connection rating (W) | 6200 W |



Compatible Accessories



GRM

Gas hobs moka support



GRW

Wok support



WOKGHU

Cast-Iron WOK Support

Symbols glossary



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Knobs control



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Heavy duty cast iron pan stands: for maximum stability and strength.



Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.