

PC31GNO



Product Family	Hob
Built-in	Ultra-low profile
Dimensions	30 cm
Power supply	Gas
Type	Gas
EAN code	8017709199371



Aesthetics



Aesthetics	Classic
Colour	Black
Finishing	Glass
Material	Glass
Glass on Steel	Yes
Pan stands	Cast iron
Type of control setting	Control knobs
Control knobs position	Front
No. of controls	2
Controls colour	Brass
Components finishing	Black
Logo	Silk screen
Serigraphy colour	Grey

Program / Functions

No. of gas cook zones	1
Total no. of cook zones	1

Options

Standard cut out 476-480x250-254 mm

Technical Features

UR

Central - Gas - UR - 6.00 kW


Gas safety valves Yes**Automatic Ignition** Yes

Electrical Connection

Nominal power (W)	1 W	Power supply cable length	120 cm
Voltage (V)	220-240 V	Plug	No
Frequency (Hz)	50/60 Hz		

Gas Connection

Gas Type	G30 GPL Liquid gas	Other gas nozzles included	G110 City gas, G20 Natural gas
Gas connection	Conical	Gas connection rating (W)	6200 W



Compatible Accessories



GRM

Gas hobs moka support



GRW

Wok support



WOKGHU

Cast-Iron WOK Support

Symbols glossary

 A small icon of a rectangular shape with a diagonal line across it, representing a flat edge.	Ultra-low profile: Installation of product with flat edge - height of 1 mm.	 A small icon of a square base with four circular feet, representing a heavy-duty cast iron pan stand.	Heavy duty cast iron pan stands: for maximum stability and strength.
 A small icon of a rectangular shape with a diagonal line across it, representing a reinforced base.	Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.	 A small icon of a square base with four circular feet, representing ultra rapid burners.	Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.
 A small icon of a circular knob with a handle, representing knobs control.	Knobs control		