# PC31GNO



| | |
|---|---|
| **Product Family** | Hob |
| **Built-in type** | Ultra-low profile |
| **Dimensions** | 30 cm |
| **Power supply** | Gas |
| **Type** | Gas |
| **EAN code** | 8017709199371 |

## Aesthetics

| | |
|---|---|
| **Aesthetic** | Classica |
| **Colour** | Black |
| **Finishing** | Glass |
| **Material** | Glass |
| **Glass on Steel** | Yes |
| **Pan stands** | Cast iron |
| **Type of control setting** | Control knobs |
| **Control knob position** | Front |
| **No. of controls** | 2 |
| **Controls colour** | Brass |
| **Components finishing** | Black |
| **Logo** | Silk screen |
| **Serigraphy colour** | Grey |

## Program / Functions

| | |
|---|---|
| **No. of gas cook zones** | 1 |
| **Total no. of cook zones** | 1 |

## Options

| | |
|---|---|
| **Worktop Cut-Out** | 476-480x250-254 mm |

## Technical Features

UR

Central - Gas - UR - 6.00 kW


| | | | |
|---|---|---|---|
| **Gas safety valves** | Yes | **Automatic Ignition** | Yes |

## Electrical Connection

| | | | |
|---|---|---|---|
| **Electrical connection rating (W)** | 1 W | **Power supply cable length** | 120 cm |
| **Voltage (V)** | 220-240 V | **Plug** | Not present |
| **Frequency (Hz)** | 50/60 Hz | | |

## Gas Connection

| | | | |
|---|---|---|---|
| **Gas Type** | G30 GPL Liquid gas | **Other gas nozzles included** | G110 City gas, G20 Natural gas |
| **Gas connection** | Conical | **Gas connection rating (W)** | 6200 W |



## Compatible Accessories



**GRM**

Coffee machine support



**GRW**

Wok support



**WOKGHU**

Cast iron WOK Support

## Symbols glossary



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.



Knobs control



Heavy duty cast iron pan stands: for maximum stability and strength.




Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.