

PC31GNOHK



| | |
|----------------|-------------------|
| Product Family | Hob |
| Built-in | Ultra-low profile |
| Dimensions | 30 cm |
| Power supply | Mixed |
| Type | Gas |
| EAN code | 8017709292126 |



Aesthetics



| | |
|-------------------------|---------------|
| Aesthetics | Classic |
| Colour | Black |
| Finishing | Glass |
| Material | Glass |
| Glass on Steel | Yes |
| Pan stands | Cast iron |
| Type of control setting | Control knobs |
| Control knobs position | Front |
| No. of controls | 2 |
| Controls colour | Brass |
| Logo | Silk screen |
| Serigraphy colour | Grey |

Program / Functions

| | |
|-------------------------|---|
| No. of gas cook zones | 1 |
| Total no. of cook zones | 1 |

Options

| | |
|------------------|--------------------|
| Standard cut out | 476-480x250-254 mm |
|------------------|--------------------|

Technical Features

UR

Central - Gas - UR - 6.00 kW


Gas safety valves Yes**Automatic Ignition** Yes

Electrical Connection

| | | | |
|-------------------------------|--------------|----------------------------------|----------|
| Nominal power (W) | 1 W | Frequency (Hz) | 50/60 Hz |
| Voltage (V) | 220-240 V | Power supply cable length | 120 cm |
| Type of electric cable | Single phase | Plug | No |

Gas Connection

| | | | |
|-----------------------|---------------|----------------------------------|--------|
| Gas Type | G110 City gas | Gas connection rating (W) | 5000 W |
| Gas connection | Conical | | |



Symbols glossary

| | | | |
|--|--|---|---|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Heavy duty cast iron pan stands: for maximum stability and strength. |
|  | Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs. |  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |
|  | Knobs control | | |