

PC32GNO



Product Family

Built-in type Ultra-low profile

Hob

Dimensions30 cmPower supplyGasTypeGas

EAN code 8017709199388



Aesthetics







AestheticClassicaColourBlackFinishingGlassMaterialGlassGlass on SteelYesPan standsCast ironType of control settingControl knobs

Control knob positionFrontNo. of controls2Controls colourBrassComponents finishingBlackSerigraphy colourGrey

Program / Functions

No. of gas cook zones 2
Total no. of cook zones 2

Options

Worktop Cut-Out 476-480x250-254 mm

Technical Features



Front-centre - Gas - Semi Rapid - 1.80 kW

Rear-centre - Gas - Rapid - 3.00 kW

Gas safety valves

Automatic Ignition Yes

Electrical Connection

Plug

Electrical connection

Voltage (V)

rating (W)

Not present

220-240 V

1 W

Frequency (Hz) Power supply cable

length

50/60 Hz

120 cm

Gas Connection

Gas Type **Gas** connection G30 GPL Liquid gas


Conical

Other gas nozzles included

Gas connection rating (W)

G110 City gas, G20 Natural

gas 4800 W





Compatible Accessories

GRM

Coffee machine support

GRW

Wok support





Cast iron WOK Support



Symbols glossary



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Heavy duty cast iron pan stands: for maximum stability and strength.



Knobs control



Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.



Benefit (TT)

Gas hobs

Consistent heat source control and easy, immediate temperature adjustment

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

Accurate power adjustment via knobs, for more precise cooking level control