

PC73GNO



Product Family	Hob
Built-in type	Ultra-low profile
Dimensions	70/75 cm
Power supply	Gas
Type	Gas
EAN code	8017709194659



Aesthetics



Aesthetic	Classica
Colour	Black
Acabamento	Glass
Material	Glass
Glass on Steel	Yes
Pan stands	Cast iron
Pan Stand Coating	No
Burner Coating	No
Type of control setting	Control knobs
Control knob position	Front
No. of controls	3
Controls colour	Brass
Components finishing	Black
Illuminated control knobs	No
Control knob protection	No
Serigraphy colour	White

Program / Functions

No. of gas cook zones	3
Total no. of cook zones	3

Options

Corte padrão	482-486x560-564 mm
--------------	--------------------

Technical Features

UR

Left - Gas - UR - 6.20 kW

Rear-right - Gas - Rapid - 3.00 kW

Front-right - Gas - Semi Rapid - 1.80 kW

Gas safety valves Yes Automatic Ignition Yes

Accessories Included


Other accessories Linea control knobs kit

Electrical Connection

Plug	No	Frequency (Hz)	50/60 Hz
Electrical connection rating (W)	1 W	Comprimento do cabo de alimentação	120 cm
Voltage (V)	220-240 V	Ficha elétrica	No

Gas Connection

Gas Type	G30 GPL Liquid gas	Other gas nozzles included	G110 City gas, G20 Natural gas
Ligação ao gás	Ligação ao gás cónica	Gas connection rating (W)	11000 W



Compatible Accessories



GRM

Suporte moka para placas a gás



GRW






Suporte para wok



WOKGHU

Suporte de ferro fundido para WOK

Symbols glossary

- | | | | |
|--|---|---|---|
|  | Perfil ultra baixo: Instalação de produto com borda plana - altura de 1 mm. |  | Suportes de ferro fundido para serviço pesado: para máxima estabilidade e resistência. |
|  | Controle dos botões |  | Base reforçada: Uma base reforçada, desenvolvida exclusivamente pela Smeg, consiste em uma camada de aço fixada à parte inferior da superfície de vidro de todo o gás em placas de vidro. |
|  | Queimadores ultrarrápidos: Queimadores ultrarrápidos potentes oferecem até 5kw de potência. | | |