

# PC73GNOTW



Product Family	Hob
Built-in	Ultra-low profile
Dimensions	70/75 cm
Power supply	Mixed
Type	Gas
EAN code	8017709219802



## Aesthetics



Aesthetics	Classic
Colour	Black
Finishing	Glass
Material	Glass
Glass on Steel	Yes
Pan stands	Cast iron
Type of control setting	Control knobs
Control knobs position	Front
No. of controls	3
Controls colour	Brass
Serigraphy colour	White

## Program / Functions

No. of gas cook zones	3
Total no. of cook zones	3

## Options

Standard cut out	482-486x560-564 mm
------------------	--------------------

## Technical Features



Front right - Gas - Semi Rapid - 1.80 kW

Rear right - Gas - Rapid - 3.00 kW

Left - Gas - UR - 6.20 kW


Gas safety valves Yes Automatic Ignition Yes

## Electrical Connection

Plug	(BSMI) Taiwan	Frequency (Hz)	60 Hz
Nominal power (W)	1 W	Power supply cable length	120 cm
Voltage (V)	110 V	Plug	Taiwan
Type of electric cable	Single phase		

## Gas Connection

Gas Type	NG1	Other gas nozzles included	G30 GPL Liquid gas
Gas connection	Conical	Gas connection rating (W)	11300 W



---

## Compatible Accessories

---



**GRM**

Gas hobs moka support



**GRW**

Wok support








**WOKGHU**

Cast-Iron WOK Support

---

## Symbols glossary

---

- |  |   |   |  |
|--|---|---|--|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Heavy duty cast iron pan stands: for maximum stability and strength.   |
|  | Knobs control   |  | Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs. |
|  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |   |  |