

PGA31G-1



Product Family Hob

Built-in type Ultra-low profile

Dimensions30 cmPower supplyGasTypeGas

EAN code 8017709165895



Aesthetics





Aesthetic Classic

Colour Stainless steel

Finishing Satin

MaterialStainless SteelType of steelBrushedPan standsCast iron

Burners Material Alluminium
Type of control setting Cast iron
Standard
Alluminium
Control knobs

Control knob positionFrontNo. of controls2Controls colourSilverSerigraphy colourBlack

Program / Functions

No. of gas cook zones 1
Total no. of cook zones 1

Options

Standard cut out 494x292 mm

Technical Features



UR

Central - Gas - 2UR (dual) - 5.00 kW

Gas safety valves Yes Autom

Automatic Ignition Yes

Accessories Included

Cast iron wok support 1 Other accessories Linea control knobs kit

Electrical Connection

Plug (I) Australia Frequency (Hz) 50/60 Hz

Electrical connection 1 W Power supply cable 120 cm

rating (W) length

Voltage (V) 220-240 V Plug I


Type of electric cable Single phase

Gas Connection

Gas Type G20 Natural gas Other gas nozzles G30 GPL Liquid gas

(W)

Gas connection Conical included
Gas connection rating 5000 W





Compatible Accessories

6MP1PGF

6 Linea knobs for PGF hobs

GRW

W

Wok support

WOKGHU

Cast-Iron WOK Support



GRM

Gas hobs moka support

LGPGF-1

Aluminium connecting strip for PGF



Symbols glossary



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Heavy duty cast iron pan stands: for maximum stability and strength.



Knobs control



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.