

PGA32C



Product Family
Built-in type
Dimensions
Power supply
Type
EAN code

Hob
Ultra-low profile
30 cm
Electric
Ceramic
8017709165888



Aesthetics



Aesthetic	Classic
Colour	Stainless steel
Finishing	Satin
Material	Stainless Steel
Type of steel	Brushed
Glass type	Ceramic
Type of control setting	Control knobs
Control knob position	Front
No. of controls	2
Controls colour	Steel effect
Logo	Silk screen
Serigraphy colour	Grey

Program / Functions

No. of ceramic cook zones	2
Power levels	9
Total no. of cook zones	2

Options

Standard cut out	494x292 mm
------------------	------------

Technical Features



Front-centre - Ceramic - Single - Ø 14.5 cm

Rear-centre - Ceramic - Single - Ø 18.0 cm

Automatic switch off when overheat Yes


Accessories Included

Other accessories Linea control knobs kit

Electrical Connection

Electrical connection rating (W) 3000 W
 Current 13 A
 Voltage (V) 220-240 V

Type of electric cable Single phase
 Frequency (Hz) 50/60 Hz
 Power supply cable length 120 cm



Compatible Accessories

6MP1PGF

6 Linea knobs for PGF hobs



SCRP





Induction and ceramic hobs and
teppanyaki scraper

LGPGF-1

Aluminium connecting strip for PGF



Symbols glossary

- | | | | |
|--|---|---|--|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Knobs control |
|  | Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit. |  | Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light. |