

PGA32G



Product Family

Built-in type Ultra-low profile

Hob

Dimensions 30 cm
Power supply Gas
Type Gas

EAN code 8017709165871



Aesthetics





Aesthetic Classic

Colour Stainless steel

Finishing Satin

MaterialStainless SteelType of steelBrushedPan standsCast ironBurnersStandardBurners MaterialAlluminium

Burners Material Alluminium

Type of control setting Control knobs

Control knob position Front No. of controls 2

Controls colourSteel effectSerigraphy colourBlack

Programs / Functions

Total no. of cook zones 2
No. of gas cook zones 2

Options

Standard cut out 494x292 mm

Technical Features



Front-centre - Gas - AUX Rear-centre - Gas - Rapid

Gas safety valves Yes Automatic Ignition Yes

Accessories Included

Cast iron wok support 1 Other accessories Linea control knobs kit

Electrical Connection

Plug (I) Australia Frequency (Hz) 50/60 Hz

Electrical connection 1 W Power supply cable 120 cm rating (W) length


Voltage (V) 220-240 V Plug I
Type of electric cable Single phase


Gas Connection

Gas Type G20 Natural gas Other gas nozzles G30 GPL Liquid gas

Gas connection Conical included
Gas connection rating 4416,67 W

(W)







Not included accessories



GRW

Wok support



WOKGHU

Cast-Iron WOK Support



GRM

Gas hobs moka support



Aluminium connecting strip for PGF

6MP1PGF

6 Linea knobs for PGF hobs





Symbols glossary (TT)



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Heavy duty cast iron pan stands: for maximum stability and strength.



Knobs control