

PGA32G



Product Family	Hob
Built-in	Ultra-low profile
Dimensions	30 cm
Power supply	Gas
Type	Gas
EAN code	8017709165871



Aesthetics



Aesthetics	Classic
Colour	Stainless steel
Finishing	Brushed
Material	Stainless Steel
Type of steel	Brushed
Pan stands	Cast iron
Burners	Standard
Burner Material	Aluminium
Type of control setting	Control knobs
Control knobs position	Front
No. of controls	2
Controls colour	Steel effect
Serigraphy colour	Black

Options

Standard cut out 494x292 mm

Technical Features

Front centre - Gas - AUX			
Rear centre - Gas - Rapid			
Gas safety valves	Yes	Automatic Ignition	Yes

Accessories Included


Cast iron wok support	1	Other accessories	Linea control knobs kit
-----------------------	---	-------------------	-------------------------

Electrical Connection

Plug	(I) Australia	Frequency (Hz)	50/60 Hz
Nominal power (W)	1 W	Power supply cable length	120 cm
Voltage (V)	220-240 V	Plug	I
Type of electric cable	Single phase		

Gas Connection

Gas Type	G20 Natural gas	Other gas nozzles included	G30 GPL Liquid gas
Gas connection	Conical	Gas connection rating (W)	4416.67 W



Not included accessories



GRW
Wok support



GRM
Gas hobs moka support






6MP1PGF
6 Linea knobs for PGF hobs



WOKGHU
Cast-Iron WOK Support

LGPGF-1
Aluminium connecting strip for PGF

Symbols glossary

- | | | | |
|--|---|---|--|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Heavy duty cast iron pan stands: for maximum stability and strength. |
|  | Knobs control | | |