

PGF30F



| | |
|----------------|-------------------|
| Product Family | Hob |
| Built-in type | Ultra-low profile |
| Dimensions | 30 cm |
| Power supply | Electric |
| Type | Electric plates |
| EAN code | 8017709141721 |



Aesthetics



| | |
|-------------------------|-----------------|
| Aesthetic | Classic |
| Colour | Stainless steel |
| Finishing | Satin |
| Material | Stainless Steel |
| Type of steel | Brushed |
| Type of control setting | Control knobs |
| Control knob position | Front |
| No. of controls | 1 |
| Controls colour | Steel effect |

Programs / Functions

| | |
|----------------------------------|---|
| Total no. of cook zones | 1 |
| No. of electric plate cook zones | 1 |

Options

| | |
|------------------|------------|
| Standard cut out | 494x292 mm |
|------------------|------------|

Technical Features



| | | | |
|-------------------|---------|-------------------------|-----|
| 8th zone position | Central | Residual heat indicator | Yes |
|-------------------|---------|-------------------------|-----|

Automatic switch off when overheat Yes

Accessories Included


Other accessories St/Steel lid

Electrical Connection

| | | | |
|----------------------------------|-----------|---------------------------|----------|
| Electrical connection rating (W) | 2200 W | Frequency (Hz) | 50/60 Hz |
| Current | 16 A | Power supply cable length | 120 cm |
| Voltage (V) | 220-240 V | | |

Gas Connection

| | | | |
|----------------|-------------|---------------------------|--------|
| Gas connection | Cilindrical | Gas connection rating (W) | 2200 W |
|----------------|-------------|---------------------------|--------|



Not included accessories



LGPGF-1





Aluminium connecting strip for PGF

6MP1PGF

6 Linea knobs for PGF hobs



Symbols glossary (TT)

| | | | |
|--|---|---|---|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit. |
|  | Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out. |  | Knobs control |