

# PGF30F



## Product Family

Built-in type	Ultra-low profile
Dimensions	30 cm
Power supply	Electric
Type	Electric plates
EAN code	8017709141721



## Aesthetics



### Aesthetic

Colour	Classic
Finishing	Stainless steel
Material	Satin
Type of steel	Stainless Steel
Type of control setting	Brushed
Control knob position	Control knobs
No. of controls	Front
Controls colour	1
Logo	Steel effect
	Embossed

## Program / Functions

No. of electric plate cook zones	1
Total no. of cook zones	1

## Options

Standard cut out	494x292 mm
------------------	------------

## Technical Features



### 8th zone position

Central

Residual heat indicator Yes

Automatic switch off      Yes  
when overheat

## Accessories Included


Other accessories      St/Steel lid

## Electrical Connection

Electrical connection rating (W)	2200 W	Frequency (Hz)	50/60 Hz
Current	16 A	Power supply cable length	120 cm
Voltage (V)	220-240 V	Plug	No

## Gas Connection

Gas connection      Cilindrical      Gas connection rating (W)      2200 W



---

## Compatible Accessories

---

**6MP1PGF**

6 Linea knobs for PGF hobs



**LGPFG-1**

Aluminium connecting strip for PGF



---

## Symbols glossary

---



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Knobs control



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 °C, the indicator goes out.