

# PGF30F



**Product Family** 

Built-in

**Dimensions** 

Power supply Type

EAN code

Hob

Ultra-low profile

30 cm

Electric

Electric plates

8017709141721



#### **Aesthetics**



**Aesthetics** Classic

Colour Stainless steel

**Finishing** Brushed

Material Stainless Steel

Brushed Type of steel Control knobs

Control knobs position Front

No. of controls 1

Controls colour Steel effect **Embossed** Logo

### **Program / Functions**

Type of control setting

No. of electric plate cook zones 1

Total no. of cook zones 1

## **Options**

Standard cut out 494x292 mm

#### **Technical Features**





8th zone position Central Residual heat indicator Yes

**SMEG SPA** 01/12/2025



Automatic switch off when overheat

Yes

#### **Accessories Included**

Other accessories St/Steel lid

### **Electrical Connection**

Nominal power (W) 2200 W Current 16 A Voltage (V) 220-240 V Frequency (Hz) 50/60 Hz Power supply cable 120 cm

length

### **Gas Connection**

Gas connection Cilindrical Gas connection rating 2200 W
(W)

310 292 William 500 Milliam 50

SMEG SPA 01/12/2025



# **Compatible Accessories**

6MP1PGF

6 Linea knobs for PGF hobs

LGPGF-1

Aluminium connecting strip for PGF



SMEG SPA 01/12/2025



## Symbols glossary



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Knobs control



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.

SMEG SPA 01/12/2025