

PGF30F



Product Family

Built-in type	Ultra-low profile
Dimensions	30 cm
Power supply	Electric
Type	Electric plates
EAN code	8017709141721



Aesthetics



Aesthetic

Colour	Classica
Finishing	Stainless steel
Material	Satin
Type of steel	Stainless Steel
Type of control setting	Brushed
Control knob position	Control knobs
No. of controls	Front
Controls colour	1
Logo	Steel effect
	Embossed

Program / Functions

No. of electric plate cook zones	1
Total no. of cook zones	1

Options

Worktop Cut-Out	494x292 mm
-----------------	------------

Technical Features



8th zone position

Central

Residual heat indicator Yes

Automatic switch off Yes
when overheat

Accessories included


Other accessories St/Steel lid

Electrical Connection

Electrical connection rating (W)	2200 W	Frequency (Hz)	50/60 Hz
Current	16 A	Power supply cable length	120 cm
Voltage (V)	220-240 V	Plug	Not present

Gas Connection

Gas connection Cilindrical Gas connection rating (W) 2200 W



Compatible Accessories

6MP1PGF

6 Linea knobs for PGF hobs



LGPFG-1

Aluminium connecting strip for PGF



Symbols glossary

	Ultra-low profile: Installation of product with flat edge - height of 1 mm.		Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.
	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.		Knobs control