

PGF30T-1



Product Family

Built-in type Ultra-low profile

Hob

Dimensions 30 cm
Power supply Electric
Type Teppanyaki
EAN code 8017709161910



Aesthetics



Aesthetic Classica
Colour Stainless steel

Finishing Satin

MaterialStainless SteelType of steelBrushedType of control settingControl knobs

Control knob position Front No. of controls 2

Controls colourSteel effectSerigraphy colourBlack

Program / Functions

No. of induction cook zones 2
Power levels 9
Total no. of cook zones 2

Options



Worktop Cut-Out 494x292 mm Cleaning option Yes

Control Lock / Child Yes

Safety

TAXESE IIIII CICUIIIII OPTIOII



Technical Features





Front-centre - Teppanyaki - 1.40 kW - Booster 1.80 kW Rear-centre - Teppanyaki - 1.40 kW - Booster 1.80 kW

Yes

Automatic switch off

when overheat

Residual heat indicator Yes

Electrical Connection

Plug Not present Electrical connection 3000 W


rating (W)

Current 13 A Voltage (V) 220-240 V Type of electric cable Yes, Single phase

installed

Frequency (Hz) 50/60 Hz Power supply cable 120 cm

length





Compatible Accessories

6MP1PGF

6 Linea knobs for PGF hobs

LGPGF-1

Aluminium connecting strip for PGF





Symbols glossary



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Knobs control



Benefit (TT)

Accurate power adjustment via knobs, for more precise cooking level control

Nine power levels and Boost function for optimal cooking performance