

# PGF30T-1



Product Family	Hob
Built-in type	Ultra-low profile
Dimensions	30 cm
Power supply	Electric
Type	Teppanyaki
EAN code	8017709161910



## Aesthetics



Aesthetic	Classica
Colour	Stainless steel
Finishing	Satin
Material	Stainless Steel
Type of steel	Brushed
Type of control setting	Control knobs
Control knob position	Front
No. of controls	2
Controls colour	Steel effect
Logo	Silk screen
Serigraphy colour	Black

## Program / Functions

No. of induction cook zones	2
Power levels	9
Total no. of cook zones	2

## Options



Worktop Cut-Out	494x292 mm	Cleaning option	Yes
Control Lock / Child Safety	Yes		

## Technical Features



Front-centre - Teppanyaki - 1.40 kW - Booster 1.80 kW

Rear-centre - Teppanyaki - 1.40 kW - Booster 1.80 kW

**Automatic switch off when overheat** Yes

**Residual heat indicator** Yes

## Electrical Connection

**Electrical connection rating (W)** 3000 W

**Current** 13 A


**Voltage (V)** 220-240 V

**Type of electric cable installed** Yes, Single phase

**Frequency (Hz)** 50/60 Hz

**Power supply cable length** 120 cm

**Plug** Not present



---

## Compatible Accessories

---

### 6MP1PGF

6 Linea knobs for PGF hobs



### LGPGF-1

Aluminium connecting strip for PGF



---

## Symbols glossary

---



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Knobs control