

PGF31G-1



Product Family

Built-in type Ultra-low profile

Hob

Dimensions30 cmPower supplyGasTypeGas

EAN code 8017709161927



Aesthetics





Aesthetic Classica Stainless steel

Finishing Satin

MaterialStainless SteelType of steelBrushedPan standsCast ironBurnersStandardBurners MaterialAlluminium

Type of control setting

Control knob position

No. of controls

Control knob position

Front

2

Controls colourSteel effectLogoSilk screenSerigraphy colourBlack

Program / Functions

No. of gas cook zones 1
Total no. of cook zones 1

Options

Worktop Cut-Out 494x292 mm

SMEG SPA 27/12/2025



Technical Features

UR

Central - Gas - UR - 5.20 kW

Gas safety valves Yes **Automatic Ignition** Yes

Accessories included

Cast iron wok support 1

Electrical Connection

Electrical connection

rating (W)

Voltage (V)

Frequency (Hz)

1 W

220-240 V 50/60 Hz

Power supply cable

length

Plug

120 cm

Not present

Gas Connection

Gas Type Gas connection G20 Natural gas

Cilindrical


Other gas nozzles included

Gas connection rating

(W)

G30 GPL Liquid gas, G110

City gas 5200 W



SMEG SPA 27/12/2025



Compatible Accessories

6MP1PGF

6 Linea knobs for PGF hobs

GRW

A Y

Wok support

WOKGHU

Cast iron WOK Support



GRM

Coffee machine support

LGPGF-1

Aluminium connecting strip for PGF

SMEG SPA 27/12/2025



Symbols glossary



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Heavy duty cast iron pan stands: for maximum stability and strength.



Knobs control



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.

SMEG SPA 27/12/2025