


# PGF31G-1



Product Family	Hob
Built-in type	Ultra-low profile
Dimensions	30 cm
Power supply	Gas
Type	Gas
EAN code	8017709161927



## Aesthetics



Aesthetic	Classica
Colour	Stainless steel
Acabamento	Satin
Material	Stainless Steel
Type of steel	Brushed
Frame	No
Pan stands	Cast iron
Pan Stand Coating	No
Burners	Standard
Burners Material	Alluminium
Burner Coating	No
Type of control setting	Control knobs
Control knob position	Front
No. of controls	2
Controls colour	Steel effect
Illuminated control knobs	No
Control knob protection	No
Serigraphy colour	Black
Alternative colours available	No

## Program / Functions

No. of gas cook zones	1
Total no. of cook zones	1

## Options

Corte padrão 494x292 mm

## Technical Features

UR

Central - Gas - UR - 5.20 kW

Gas safety valves	Yes	Automatic Ignition	Yes
-------------------	-----	--------------------	-----

## Accessories Included


Cast iron wok support	1	Other accessories	No
-----------------------	---	-------------------	----

## Electrical Connection

Plug	No	Frequency (Hz)	50/60 Hz
Electrical connection rating (W)	1 W	Comprimento do cabo de alimentação	120 cm
Voltage (V)	220-240 V	Ficha elétrica	No

## Gas Connection

Gas Type	G20 Natural gas	Other gas nozzles included	G30 GPL Liquid gas, G110 City gas
Ligação ao gás	Ligação ao gás cilíndrica	Gas connection rating (W)	5200 W



---

## Compatible Accessories

---

### 6MP1PGF

6 Botões Linea para placas PGF



### GRW

Suporte para wok



### WOKGHU

Suporte de ferro fundido para WOK



### GRM

Suporte moka para placas a gás



### LGPGF-1





Tira de ligação de alumínio para PGF



---

## Symbols glossary

---

- |  |   |   |   |
|--|---|---|---|
|  | Perfil ultra baixo: Instalação de produto com borda plana - altura de 1 mm. |  | Suportes de ferro fundido para serviço pesado: para máxima estabilidade e resistência.      |
|  | Controle dos botões   |  | Queimadores ultrarrápidos: Queimadores ultrarrápidos potentes oferecem até 5kw de potência. |