

PGF31G2



| | |
|----------------|-------------------|
| Product Family | Hob |
| Built-in type | Ultra-low profile |
| Dimensions | 30 cm |
| Power supply | Gas |
| Type | Gas |
| EAN code | 8017709327163 |



Aesthetics



| | |
|-------------------------|-----------------|
| Aesthetic | Classica |
| Colour | Stainless steel |
| Finishing | Satin |
| Material | Stainless Steel |
| Type of steel | Brushed |
| Pan stands | Cast iron |
| Burners | Standard |
| Burners Material | Alluminium |
| Type of control setting | Control knobs |
| Control knob position | Front |
| No. of controls | 2 |
| Controls colour | Steel effect |
| Logo | Silk screen |
| Serigraphy colour | Black |

Program / Functions

| | |
|-------------------------|---|
| No. of gas cook zones | 1 |
| Total no. of cook zones | 1 |

Options

| | |
|-----------------|------------|
| Worktop Cut-Out | 494x292 mm |
|-----------------|------------|

Technical Features

UR

Central - Gas - UR - 5.0 kW

| | | | |
|--------------------------|-----|---------------------------|-----|
| Gas safety valves | Yes | Automatic Ignition | Yes |
|--------------------------|-----|---------------------------|-----|

Accessories included


Cast iron wok support 1

Electrical Connection

| | | | |
|-----------------------------------------|-------------------|----------------------------------|-------------|
| Electrical connection rating (W) | 1 W | Frequency (Hz) | 50/60 Hz |
| Voltage (V) | 220-240 V | Power supply cable length | 120 cm |
| Type of electric cable installed | Yes, Single phase | Plug | Not present |

Gas Connection

| | | | |
|-----------------------|-----------------|-----------------------------------|-----------------------------------|
| Gas Type | G20 Natural gas | Other gas nozzles included | G30 GPL Liquid gas, G110 City gas |
| Gas connection | Cilindrical | Gas connection rating (W) | 5000 W |



Compatible Accessories

6MP1PGF

6 Linea knobs for PGF hobs



GRW

Wok support



WOKGHU

Cast iron WOK Support



GRM

Coffee machine support



LGPGF-1

Aluminium connecting strip for PGF



Symbols glossary

- | | | | |
|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Heavy duty cast iron pan stands: for maximum stability and strength. |
|  | Knobs control |  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |