

PGF32C



Product Family	Hob
Built-in	Ultra-low profile
Dimensions	30 cm
Power supply	Electric
Type	Ceramic
EAN code	8017709138035



Aesthetics



Aesthetics	Classic
Colour	Stainless steel/Black
Finishing	Glass
Material	Glass
Glass Type	Ceramic
Frame	Yes
Frame colour	Stainless Steel
Type of control setting	Control knobs
Control knobs position	Front
No. of controls	2
Controls colour	Steel effect
Logo	Embossed

Program / Functions

No. of ceramic cook zones	2
Power levels	9
Total no. of cook zones	2

Options

Standard cut out	494x292 mm
-------------------------	------------

Technical Features



Front centre - Ceramic - single - 1.20 kW - Ø 14.0 cm


Rear centre - Ceramic - single - 1.80 kW - Ø 18.0 cm

Residual heat indicator Yes

Electrical Connection

Nominal power (W) 3000 W
 Current 13 A
 Voltage (V) 220-240 V

Frequency (Hz) 50/60 Hz
 Power supply cable length 120 cm
 Plug No



Compatible Accessories

6MP1PGF

6 Linea knobs for PGF hobs



SCRP





Induction and ceramic hobs and
teppanyaki scraper

LGPGF-1

Aluminium connecting strip for PGF



Symbols glossary

- | | | | |
|--|--|---|---|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Knobs control |
|  | Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light. |  | Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out. |