

# PGF32C



<b>Product Family</b>	Hob
<b>Built-in type</b>	Ultra-low profile
<b>Dimensions</b>	30 cm
<b>Power supply</b>	Electric
<b>Type</b>	Ceramic
<b>EAN code</b>	8017709138035



## Aesthetics



<b>Aesthetic</b>	Classica
<b>Colour</b>	Stainless steel/Black
<b>Finishing</b>	Glass
<b>Material</b>	Glass
<b>Glass type</b>	Ceramic
<b>Frame</b>	Yes
<b>Frame colour</b>	Stainless Steel
<b>Type of control setting</b>	Control knobs
<b>Control knob position</b>	Front
<b>No. of controls</b>	2
<b>Controls colour</b>	Steel effect
<b>Logo</b>	Embossed

## Program / Functions

<b>No. of ceramic cook zones</b>	2
<b>Power levels</b>	9
<b>Total no. of cook zones</b>	2

## Options

<b>Worktop Cut-Out</b>	494x292 mm
------------------------	------------

## Technical Features




Front-centre - Ceramic - Single - 1.20 kW - Ø 14.0 cm

Rear-centre - Ceramic - Single - 1.80 kW - Ø 18.0 cm

Residual heat indicator Yes

## Electrical Connection

Electrical connection rating (W)	3000 W	Frequency (Hz)	50/60 Hz
Current	13 A	Power supply cable length	120 cm
Voltage (V)	220-240 V	Plug	Not present



---

## Compatible Accessories

---

### 6MP1PGF

6 Linea knobs for PGF hobs



### SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

### LGPGF-1





Aluminium connecting strip for PGF



---

## Symbols glossary

---

- |  |  |   |   |
|--|--|---|---|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm.                                      |  | Knobs control   |
|  | Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light. |  | Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out. |