

PGF32C



Product Family	Hob
Built-in type	Ultra-low profile
Dimensions	30 cm
Power supply	Electric
Type	Ceramic
EAN code	8017709138035



Aesthetics



Aesthetic	Classica
Colour	Stainless steel/Black
Finishing	Glass
Material	Glass
Glass type	Ceramic
Frame	Yes
Frame colour	Stainless Steel
Type of control setting	Control knobs
Control knob position	Front
No. of controls	2
Controls colour	Steel effect
Logo	Embossed

Program / Functions

No. of ceramic cook zones	2
Power levels	9
Total no. of cook zones	2

Options

Worktop Cut-Out	494x292 mm
------------------------	------------

Technical Features




Front-centre - Ceramic - Single - 1.20 kW - Ø 14.0 cm

Rear-centre - Ceramic - Single - 1.80 kW - Ø 18.0 cm

Residual heat indicator Yes

Electrical Connection

Electrical connection rating (W)	3000 W	Frequency (Hz)	50/60 Hz
Current	13 A	Power supply cable length	120 cm
Voltage (V)	220-240 V	Plug	Not present



Compatible Accessories

6MP1PGF

6 Linea knobs for PGF hobs



SCRP





Non-scratch hob scraper - suitable for induction and ceramic hobs

LGPGF-1

Aluminium connecting strip for PGF



Symbols glossary

- | | | | |
|--|---|---|--|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light. |
|  | Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out. |  | Knobs control |