

PGF32G



Product Family
Built-in type
Dimensions
Power supply
Type
EAN code

Hob
Ultra-low profile
30 cm
Gas
Gas
8017709138059



Aesthetics



Aesthetic

Colour

Finishing

Material

Type of steel

Pan stands

Type of control setting

Control knob position

No. of controls

Controls colour

Logo

Classica

Stainless steel

Satin

Stainless Steel

Brushed

Cast iron

Control knobs

Front

2

Steel effect

Embossed

Program / Functions

No. of gas cook zones

2

Total no. of cook zones

2

Options

Worktop Cut-Out

494x292 mm

Technical Features

Front-centre - Gas - AUX - 1.05 kW

Rear-centre - Gas - Rapid - 2.50 kW

Gas safety valves	Yes	Automatic Ignition	Yes
-------------------	-----	--------------------	-----

Accessories included


Cast iron wok support 1

Electrical Connection

Frequency (Hz)	50/60 Hz	Plug	Not present
Power supply cable length	120 cm		

Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Conical
Gas connection	Cilindrical	Gas connection rating (W)	3550 W



Compatible Accessories

6MP1PGF

6 Linea knobs for PGF hobs



GRW

Wok support



WOKGHU

Cast iron WOK Support



GRM

Coffee machine support



LGPGF-1

Aluminium connecting strip for PGF



Symbols glossary



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Heavy duty cast iron pan stands: for maximum stability and strength.



Knobs control