

PGF32G



Product Family Hob

Built-in type Ultra-low profile

Dimensions30 cmPower supplyGasTypeGas

EAN code 8017709138059



Aesthetics





Aesthetic Classica Stainless steel

Finishing Satin

MaterialStainless SteelType of steelBrushedPan standsCast ironType of control settingControl knobs

Control knob position Front No. of controls 2

Controls colour Steel effect

Programs / Functions

No. of gas cook zones 2
Total no. of cook zones 2

Options

Worktop Cut-Out 494x292 mm

Technical Features

Front-centre - Gas - AUX - 1.05 kW Rear-centre - Gas - Rapid - 2.50 kW



Gas safety valves

Yes

1

Automatic Ignition

Yes

Accessories included

Cast iron wok support

Electrical Connection

Not present Plug Frequency (Hz) 50/60 Hz

Power supply cable

120 cm

length

Gas Connection

Gas Type Gas connection G20 Natural gas Cilindrical

Other gas connections


Conical

provided

Gas connection rating

3550 W

(W)





Compatible Accessories

6MP1PGF

6 Linea knobs for PGF hobs

GRW

Wol

Wok support

WOKGHU

Cast iron WOK Support



 GRM

Coffee machine support

LGPGF-1

Aluminium connecting strip for PGF



Symbols glossary



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Heavy duty cast iron pan stands: for maximum stability and strength.



Knobs control



Benefit (TT)

Gas hobs

Consistent heat source control and easy, immediate temperature adjustment

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

Accurate power adjustment via knobs, for more precise cooking level control