

PGF32G



| | |
|----------------|-------------------|
| Product Family | Hob |
| Built-in type | Ultra-low profile |
| Dimensions | 30 cm |
| Power supply | Gas |
| Type | Gas |
| EAN code | 8017709138059 |



Aesthetics



| | |
|-------------------------|-----------------|
| Aesthetic | Classica |
| Colour | Stainless steel |
| Finishing | Satin |
| Material | Stainless Steel |
| Type of steel | Brushed |
| Pan stands | Cast iron |
| Type of control setting | Control knobs |
| Control knob position | Front |
| No. of controls | 2 |
| Controls colour | Steel effect |
| Logo | Embossed |

Program / Functions

| | |
|-------------------------|---|
| No. of gas cook zones | 2 |
| Total no. of cook zones | 2 |

Options

| | |
|-----------------|------------|
| Worktop Cut-Out | 494x292 mm |
|-----------------|------------|

Technical Features

| |
|------------------------------------|
| Front-centre - Gas - AUX - 1.05 kW |
|------------------------------------|

Rear-centre - Gas - Rapid - 2.50 kW

| | | | |
|-------------------|-----|--------------------|-----|
| Gas safety valves | Yes | Automatic Ignition | Yes |
|-------------------|-----|--------------------|-----|

Accessories included


Cast iron wok support 1

Electrical Connection

| | | | |
|---------------------------|----------|------|-------------|
| Frequency (Hz) | 50/60 Hz | Plug | Not present |
| Power supply cable length | 120 cm | | |

Gas Connection

| | | | |
|----------------|-----------------|--------------------------------|---------|
| Gas Type | G20 Natural gas | Other gas connections provided | Conical |
| Gas connection | Cilindrical | Gas connection rating (W) | 3550 W |



Compatible Accessories

6MP1PGF

6 Linea knobs for PGF hobs



GRW

Wok support



WOKGHU

Cast iron WOK Support



GRM

Coffee machine support



LGPGF-1

Aluminium connecting strip for PGF



Symbols glossary



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Heavy duty cast iron pan stands: for maximum stability and strength.



Knobs control