


PGF32G



Product Family	Hob
Built-in type	Ultra-low profile
Dimensions	30 cm
Power supply	Gas
Type	Gas
EAN code	8017709138059



Aesthetics



Aesthetic	Classica
Colour	Stainless steel
Acabamento	Satin
Material	Stainless Steel
Type of steel	Brushed
Pan stands	Cast iron
Pan Stand Coating	No
Burner Coating	No
Type of control setting	Control knobs
Control knob position	Front
No. of controls	2
Controls colour	Steel effect
Illuminated control knobs	No
Control knob protection	No

Program / Functions

No. of gas cook zones	2
Total no. of cook zones	2

Options

Corte padrão	494x292 mm
--------------	------------

Technical Features

Front-centre - Gas - AUX - 1.05 kW

Rear-centre - Gas - Rapid - 2.50 kW

Gas safety valves	Yes	Automatic Ignition	Yes
-------------------	-----	--------------------	-----

Accessories Included


Cast iron wok support 1

Electrical Connection

Plug	No	Comprimento do cabo de alimentação	120 cm
Frequency (Hz)	50/60 Hz	Ficha elétrica	No

Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Conical
Ligação ao gás	Ligação ao gás cilíndrica	Gas connection rating (W)	3550 W



Compatible Accessories

6MP1PGF

6 Botões Linea para placas PGF



GRW

Suporte para wok



WOKGHU

Suporte de ferro fundido para WOK



GRM

Suporte moka para placas a gás



LGPGF-1

Tira de ligação de alumínio para PGF



Symbols glossary

- | | | | |
|--|---|---|--|
|  | Perfil ultra baixo: Instalação de produto com borda plana - altura de 1 mm. |  | Suportes de ferro fundido para serviço pesado: para máxima estabilidade e resistência. |
|  | Controle dos botões | | |