

PGF32I-1





Product Family

Built-in type Ultra-low profile

Dimensions 30 cm Power supply Electric Type Induction

8017709161941 EAN code



Aesthetics



Aesthetic Classica

Stainless steel/Black Colour

Hob

Satin **Finishing**

Material Stainless Steel Type of steel Brushed

Frame Yes

Frame colour Stainless Steel Type of control setting Control knobs

Control knob position Front No. of controls

Controls colour Steel effect Silk screen Logo Serigraphy colour Black

Program / Functions

No. of induction cook zones 2 Total no. of cook zones 2

Options



Worktop Cut-Out Control Lock / Child 494x292 mm Yes

Safety

SMEG SPA 27/11/2025



Technical Features





Front-centre - Induction - Single - 1.40 kW - Booster 2.20 kW - Ø 14.5 cm Rear-centre - Induction - Single - 1.80 kW - Booster 3.00 kW - Ø 21.0 cm

Automatic setting Yes according to pan dimension pan detection Yes Minimum pan diameter Yes indication

Automatic switch off when overheat

Residual heat indicator Yes **Protection against** Yes accidental start up

Electrical Connection

Electrical connection 3500 W

rating (W)

Current 16 A Voltage (V) 220-240 V Type of electric cable Yes, Single phase

installed

Frequency (Hz)

Power supply cable

length


Plug

120 cm

Yes

Not present

50/60 Hz



SMEG SPA 27/11/2025



Compatible Accessories

6MP1PGF

6 Linea knobs for PGF hobs

LGPGF-1

Aluminium connecting strip for PGF





SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

SMEG SPA 27/11/2025




Symbols glossary



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.





Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Knobs control

SMEG SPA 27/11/2025