


PGF64-4



Product Family

Built-in	Ultra-low profile
Dimensions	60 cm
Power supply	Gas
Type	Gas
EAN code	8017709153588



Aesthetics



Aesthetics

Colour	Classic
Finishing	Stainless steel
Material	Brushed
Type of steel	Stainless Steel
Pan stands	Brushed
Burners	Cast iron
Burner Material	Standard
Type of control setting	Aluminium
Control knobs position	Control knobs
No. of controls	Front
Controls colour	4
Logo	Steel effect
Serigraphy colour	Silk screen

Program / Functions

No. of gas cook zones	4
Total no. of cook zones	4

Options

Standard cut out	488x592 mm
------------------	------------

Technical Features

UR

Left - Gas - UR - 3.90 kW
Rear centre - Gas - AUX - 1.05 kW
Front centre - Gas - AUX - 1.05 kW
Right - Gas - Rapid - 2.50 kW

Gas safety valves Yes **Automatic Ignition** Yes

Accessories Included


Cast iron wok support 1

Electrical Connection

Nominal power (W)	1 W	Frequency (Hz)	50/60 Hz
Voltage (V)	220-240 V	Power supply cable length	120 cm
Type of electric cable	Single phase	Plug	No

Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Conical
Gas connection	Cilindrical	Gas connection rating (W)	8500 W
Other gas nozzles included	G30 GPL Liquid gas		





Compatible Accessories

6MP1PGF

6 Linea knobs for PGF hobs



Symbols glossary



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Heavy duty cast iron pan stands: for maximum stability and strength.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Knobs control