


PGF64-4



Product Family
Built-in
Dimensions
Power supply
Type
EAN code

Hob
Ultra-low profile
60 cm
Gas
Gas
8017709153588



Aesthetics



Aesthetics
Colour
Finishing
Material
Type of steel
Pan stands
Burners
Burner Material
Type of control setting
Control knobs position
No. of controls
Controls colour
Serigraphy colour

Classic
Stainless steel
Brushed
Stainless Steel
Brushed
Cast iron
Standard
Aluminium
Control knobs
Front
4
Steel effect
Black

Options

Standard cut out 488x592 mm

Technical Features



Left - Gas - UR - 3.90 kW
Rear centre - Gas - AUX - 1.05 kW
Front centre - Gas - AUX - 1.05 kW
Right - Gas - Rapid - 2.50 kW

Gas safety valves	Yes	Automatic Ignition	Yes
--------------------------	-----	---------------------------	-----

Accessories Included


Cast iron wok support 1

Electrical Connection

Nominal power (W)	1 W	Frequency (Hz)	50/60 Hz
Voltage (V)	220-240 V	Power supply cable length	120 cm
Type of electric cable	Single phase		

Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Conical
Gas connection	Cilindrical	Gas connection rating (W)	8500 W
Other gas nozzles included	G30 GPL Liquid gas		






Not included accessories

6MP1PGF

6 Linea knobs for PGF hobs



Symbols glossary

- | | | | |
|--|---|---|---|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Heavy duty cast iron pan stands: for maximum stability and strength. |
|  | Knobs control |  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |