

PGF75-4



Product Family
Built-in
Dimensions
Power supply
Type
EAN code

Hob
Ultra-low profile
70/75 cm
Gas
Gas
8017709153601



Aesthetics



Aesthetics

Colour

Finishing

Material

Type of steel

Pan stands

Burners

Burner Material

Type of control setting

Control knobs position

No. of controls

Controls colour

Logo

Classic

Stainless steel

Brushed

Stainless Steel

Brushed

Cast iron

Standard

Aluminium

Control knobs

Front

5

Steel effect

Embossed

Program / Functions

No. of gas cook zones

5

Total no. of cook zones

5

Options

Standard cut out

492x700 mm

Technical Features

UR

Front left - Gas - AUX - 1.05 kW
 Rear left - Gas - Semi Rapid - 1.75 kW
 Central - Gas - UR - 3.90 kW
 Rear right - Gas - Semi Rapid - 1.75 kW
 Front right - Gas - AUX - 1.05 kW
 Gas safety valves Yes

Automatic Ignition Yes

Accessories Included


Cast iron wok support 1

Electrical Connection

Nominal power (W)	1 W	Power supply cable length	120 cm
Voltage (V)	220-240 V	Plug	No
Frequency (Hz)	50/60 Hz		

Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Conical
Gas connection	Cilindrica	Gas connection rating (W)	9500 W
Other gas nozzles included	G30 GPL Liquid gas		



Compatible Accessories

6MP1PGF

6 Linea knobs for PGF hobs



GRW

Wok support



GRM

Gas hobs moka support



WOKGHU

Cast-Iron WOK Support



Symbols glossary

- | | | | |
|--|---|---|--|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Heavy duty cast iron pan stands: for maximum stability and strength. |
|  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |  | Knobs control |