

PGF75-4



Product Family	Hob
Built-in type	Ultra-low profile
Dimensions	70/75 cm
Power supply	Gas
Type	Gas
EAN code	8017709153601



Aesthetics



Aesthetic	Classica
Colour	Stainless steel
Finishing	Satin
Material	Stainless Steel
Type of steel	Brushed
Pan stands	Cast iron
Burners	Standard
Burners Material	Alluminium
Type of control setting	Control knobs
Control knob position	Front
No. of controls	5
Controls colour	Steel effect

Programme / Functions

Total no. of cook zones	5
No. of gas cook zones	5

Options

Worktop Cut-Out	492x700 mm
-----------------	------------

Technical Features

UR

Front-left - Gas - AUX - 1.05 kW

Rear-left - Gas - Semi Rapid - 1.75 kW

Central - Gas - UR - 3.90 kW

Rear-right - Gas - Semi Rapid - 1.75 kW

Front-right - Gas - AUX - 1.05 kW

Gas safety valves Yes **Automatic Ignition** Yes

Accessories Included


Cast iron wok support 1

Electrical Connection

Plug	Not present	Frequency (Hz)	50/60 Hz
Electrical connection rating (W)	1 W	Power supply cable length	120 cm
Voltage (V)	220-240 V		

Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Conical
Gas connection	Cilindrical	Gas connection rating (W)	9500 W
Other gas nozzles included	G30 GPL Liquid gas		



Not included accessories



GRW
Wok support



GRM
Coffee machine support







WOKGHU
Cast iron WOK Support



6MP1PGF
6 Linea knobs for PGF hobs

Symbols glossary (TT)

- | | | | |
|--|---|---|--|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Heavy duty cast iron pan stands: for maximum stability and strength. |
|  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |  | Knobs control |