

PGF75-4



Product Family	Hob
Built-in type	Ultra-low profile
Dimensions	70/75 cm
Power supply	Gas
Type	Gas
EAN code	8017709153601



Aesthetics



Aesthetic

Colour

Finishing

Material

Type of steel

Pan stands

Burners

Burners Material

Type of control setting

Control knob position

No. of controls

Controls colour

Logo

Classica

Stainless steel

Satin

Stainless Steel

Brushed

Cast iron

Standard

Alluminium

Control knobs

Front

5

Steel effect

Embossed

Program / Functions

No. of gas cook zones

5

Total no. of cook zones

5

Options

Worktop Cut-Out

492x700 mm

Technical Features

UR

Front-left - Gas - AUX - 1.05 kW
 Rear-left - Gas - Semi Rapid - 1.75 kW
 Central - Gas - UR - 3.90 kW
 Rear-right - Gas - Semi Rapid - 1.75 kW
 Front-right - Gas - AUX - 1.05 kW
Gas safety valves Yes

Automatic Ignition Yes

Accessories included


Cast iron wok support 1

Electrical Connection

Electrical connection rating (W)	1 W	Power supply cable length	120 cm
Voltage (V)	220-240 V	Plug	Not present
Frequency (Hz)	50/60 Hz		

Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Conical
Gas connection	Cilindrical	Gas connection rating (W)	9500 W
Other gas nozzles included	G30 GPL Liquid gas		



Compatible Accessories

6MP1PGF

6 Linea knobs for PGF hobs



GRW



Wok support

GRM

Coffee machine support



WOKGHU



Cast iron WOK Support

Symbols glossary



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Heavy duty cast iron pan stands: for maximum stability and strength.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Knobs control