

PGF75-4



Product Family	Hob
Built-in type	Ultra-low profile
Dimensions	70/75 cm
Power supply	Gas
Type	Gas
EAN code	8017709153601



Aesthetics



Aesthetic	Classica
Colour	Stainless steel
Acabamento	Satin
Material	Stainless Steel
Type of steel	Brushed
Frame	No
Pan stands	Cast iron
Pan Stand Coating	No
Burners	Standard
Burners Material	Alluminium
Burner Coating	No
Type of control setting	Control knobs
Control knob position	Front
No. of controls	5
Controls colour	Steel effect
Illuminated control knobs	No
Control knob protection	No
Alternative colours available	No

Program / Functions

No. of gas cook zones	5
Total no. of cook zones	5

Options

Corte padrão 492x700 mm

Technical Features

UR

Front-left - Gas - AUX - 1.05 kW

Rear-left - Gas - Semi Rapid - 1.75 kW

Central - Gas - UR - 3.90 kW

Rear-right - Gas - Semi Rapid - 1.75 kW

Front-right - Gas - AUX - 1.05 kW

Gas safety valves Yes Automatic Ignition Yes

Accessories Included


Cast iron wok support 1 Other accessories No

Electrical Connection

Plug No Frequency (Hz) 50/60 Hz
Electrical connection rating (W) 1 W Comprimento do cabo de alimentação 120 cm
Voltage (V) 220-240 V Ficha elétrica No

Gas Connection

Gas Type G20 Natural gas Other gas connections provided Conical
Ligação ao gás Ligação ao gás cilíndrica
Other gas nozzles included G30 GPL Liquid gas Gas connection rating (W) 9500 W



Compatible Accessories

6MP1PGF

6 Botões Linea para placas PGF



GRW

Suporte para wok



GRM

Suporte moka para placas a gás







WOKGHU

Suporte de ferro fundido para WOK



Symbols glossary

- | | | | |
|--|---|---|--|
|  | Perfil ultra baixo: Instalação de produto com borda plana - altura de 1 mm. |  | Suportes de ferro fundido para serviço pesado: para máxima estabilidade e resistência. |
|  | Queimadores ultrarrápidos: Queimadores ultrarrápidos potentes oferecem até 5kw de potência. |  | Controle dos botões |