

PGF75-4



Type

Product Family

Built-in Ultra-low profile 70/75 cm **Dimensions** Power supply Gas

Hob

Gas

EAN code 8017709153601



Aesthetics





Aesthetics Classic

Colour Stainless steel **Finishing** Brushed

Material Stainless Steel

Brushed Type of steel Pan stands Cast iron Standard **Burners Burner Material** Aluminium Type of control setting Control knobs

Control knobs position Front No. of controls

Steel effect Controls colour

Program / Functions

No. of gas cook zones 5 Total no. of cook zones 5

Options

Standard cut out 492x700 mm

Technical Features

SMEG SPA 09/05/2025





Front left - Gas - AUX - 1.05 kW

Rear left - Gas - Semi Rapid - 1.75 kW

Central - Gas - UR - 3.90 kW

Rear right - Gas - Semi Rapid - 1.75 kW

Front right - Gas - AUX - 1.05 kW

Gas safety valves Yes

Automatic Ignition

Yes

Accessories Included

Cast iron wok support 1

Electrical Connection

Nominal power (W) 1 W Voltage (V) 220-240 V Frequency (Hz)
Power supply cable

50/60 Hz 120 cm

length

Gas Connection

Gas Type
Gas connection
Other ags nozzles

Other gas nozzles included

G20 Natural gas Cilindrical

G30 GPL Liquid gas

Other gas connections


provided

Gas connection rating (W)

9500 W

Conical

g 9500



SMEG SPA 09/05/2025



Compatible Accessories

6MP1PGF

6 Linea knobs for PGF hobs

GRW

Wok support

GRM

Gas hobs moka support

WOKGHU



Cast-Iron WOK Support

SMEG SPA 09/05/2025



Symbols glossary



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Heavy duty cast iron pan stands: for maximum stability and strength.



Knobs control



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.

SMEG SPA 09/05/2025