

# PGF75-4



Product Family	Hob
Built-in	Ultra-low profile
Dimensions	70/75 cm
Power supply	Gas
Type	Gas
EAN code	8017709153601



## Aesthetics



Aesthetics	Classic
Colour	Stainless steel
Finishing	Brushed
Material	Stainless Steel
Type of steel	Brushed
Pan stands	Cast iron
Burners	Standard
Burner Material	Aluminium
Type of control setting	Control knobs
Control knobs position	Front
No. of controls	5
Controls colour	Steel effect

## Programs / Functions

Total no. of cook zones	5
No. of gas cook zones	5

## Options

Standard cut out	492x700 mm
------------------	------------

## Technical Features

UR

Front left - Gas - AUX - 1.05 kW  
 Rear left - Gas - Semi Rapid - 1.75 kW  
 Central - Gas - UR - 3.90 kW  
 Rear right - Gas - Semi Rapid - 1.75 kW  
 Front right - Gas - AUX - 1.05 kW  
 Gas safety valves Yes

Automatic Ignition Yes

## Accessories Included


Cast iron wok support 1

## Electrical Connection

Nominal power (W)	1 W	Frequency (Hz)	50/60 Hz
Voltage (V)	220-240 V	Power supply cable length	120 cm


## Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Conical
Gas connection	Cilindrical	Gas connection rating (W)	9500 W
Other gas nozzles included	G30 GPL Liquid gas		



## Not included accessories

---



**GRW**  
Wok support



**WOKGHU**  
Cast-Iron WOK Support







**6MP1PGF**  
6 Linea knobs for PGF hobs



**GRM**  
Gas hobs moka support

## Symbols glossary

---

- |  |   |   |  |
|--|---|---|--|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Heavy duty cast iron pan stands: for maximum stability and strength. |
|  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |  | Knobs control  |