

# PGF75SA



Product Family  
Built-in type  
Dimensions  
Power supply  
Type  
EAN code

Hob  
Ultra-low profile  
70/75 cm  
Gas  
Gas  
8017709266462



## Aesthetics



Aesthetic

Colour

Finishing

Material

Type of steel

Pan stands

Burners

Burners Material

Type of control setting

Control knob position

No. of controls

Controls colour

Logo

Classica

Stainless steel

Satin

Stainless Steel

Brushed

Cast iron

Standard

Aluminium

Control knobs

Front

5

Steel effect

Embossed

## Program / Functions

No. of gas cook zones

5

Total no. of cook zones

5

## Options

Worktop Cut-Out

492x700 mm

## Technical Features

UR

Front-left - Gas - AUX - 1.05 kW

Rear-left - Gas - Semi Rapid - 1.75 kW

Central - Gas - UR - 3.90 kW

Rear-right - Gas - Semi Rapid - 1.75 kW

Front-right - Gas - AUX - 1.05 kW

Gas safety valves	Yes	Automatic Ignition	Yes
-------------------	-----	--------------------	-----

## Accessories Included


Cast iron wok support 1

## Electrical Connection

Electrical connection rating (W)	1 W	Frequency (Hz)	50/60 Hz
Voltage (V)	220-240 V	Power supply cable length	120 cm
Type of electric cable installed	Yes, Single phase	Plug	Not present

## Gas Connection

Gas Type	G30 GPL Liquid gas	Other gas connections provided	Conical
Gas connection	Cilindrical	Gas connection rating (W)	9500 W
Other gas nozzles included	G110 City gas		



---

## Symbols glossary

---



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Heavy duty cast iron pan stands: for maximum stability and strength.



Knobs control



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.