

# PGF75SA



|                |                   |
|----------------|-------------------|
| Product Family | Hob               |
| Built-in type  | Ultra-low profile |
| Dimensions     | 70/75 cm          |
| Power supply   | Gas               |
| Type           | Gas               |
| EAN code       | 8017709266462     |



## Aesthetics



|                         |                 |
|-------------------------|-----------------|
| Aesthetic               | Classica        |
| Colour                  | Stainless steel |
| Finishing               | Satin           |
| Material                | Stainless Steel |
| Type of steel           | Brushed         |
| Pan stands              | Cast iron       |
| Burners                 | Standard        |
| Burners Material        | Alluminium      |
| Type of control setting | Control knobs   |
| Control knob position   | Front           |
| No. of controls         | 5               |
| Controls colour         | Steel effect    |
| Logo                    | Embossed        |

## Program / Functions

|                         |   |
|-------------------------|---|
| No. of gas cook zones   | 5 |
| Total no. of cook zones | 5 |

## Options

|                 |            |
|-----------------|------------|
| Worktop Cut-Out | 492x700 mm |
|-----------------|------------|

## Technical Features

**UR**

Front-left - Gas - AUX - 1.05 kW

Rear-left - Gas - Semi Rapid - 1.75 kW

Central - Gas - UR - 3.90 kW

Rear-right - Gas - Semi Rapid - 1.75 kW

Front-right - Gas - AUX - 1.05 kW

Gas safety valves                      Yes                                      **Automatic Ignition**                      Yes

## Accessories Included


Cast iron wok support              1

## Electrical Connection

|                                  |                   |                           |             |
|----------------------------------|-------------------|---------------------------|-------------|
| Electrical connection rating (W) | 1 W               | Frequency (Hz)            | 50/60 Hz    |
| Voltage (V)                      | 220-240 V         | Power supply cable length | 120 cm      |
| Type of electric cable installed | Yes, Single phase | Plug                      | Not present |

## Gas Connection



|                            |                    |                                |         |
|----------------------------|--------------------|--------------------------------|---------|
| Gas Type                   | G30 GPL Liquid gas | Other gas connections provided | Conical |
| Gas connection             | Cilindrical        | Gas connection rating (W)      | 9500 W  |
| Other gas nozzles included | G110 City gas      |                                |         |



---

## Symbols glossary

---

- |  |   |   |   |
|--|---|---|---|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Heavy duty cast iron pan stands: for maximum stability and strength.        |
|  | Knobs control   |  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |