

PGF95-4



| | |
|----------------|-------------------|
| Product Family | Hob |
| Built-in type | Ultra-low profile |
| Dimensions | 90 cm |
| Power supply | Gas |
| Type | Gas |
| EAN code | 8017709153625 |



Aesthetics



| | |
|-------------------------|-----------------|
| Aesthetic | Classica |
| Colour | Stainless steel |
| Finishing | Satin |
| Material | Stainless Steel |
| Type of steel | Brushed |
| Pan stands | Cast iron |
| Burners | Standard |
| Burners Material | Alluminium |
| Type of control setting | Control knobs |
| Control knob position | Lateral |
| No. of controls | 5 |
| Controls colour | Steel effect |

Programme / Functions

| | |
|-------------------------|---|
| Total no. of cook zones | 5 |
| No. of gas cook zones | 5 |

Options

| | |
|-----------------|------------|
| Worktop Cut-Out | 482x847 mm |
|-----------------|------------|

Technical Features

UR

Front-left - Gas - Semi Rapid - 1.75 kW

Rear-left - Gas - Semi Rapid - 1.75 kW

Central - Gas - UR - 3.90 kW

Rear-right - Gas - Semi Rapid - 1.75 kW

Front-right - Gas - AUX - 1.05 kW

| | | | |
|-------------------|-----|--------------------|-----|
| Gas safety valves | Yes | Automatic Ignition | Yes |
|-------------------|-----|--------------------|-----|

Accessories Included


Cast iron wok support 1

Electrical Connection

| | | | |
|----------------------------------|-----------|---------------------------|----------|
| Electrical connection rating (W) | 1 W | Frequency (Hz) | 50/60 Hz |
| Voltage (V) | 220-240 V | Power supply cable length | 120 cm |

Gas Connection

| | | | |
|----------------------------|--------------------|--------------------------------|---------|
| Gas Type | G20 Natural gas | Other gas connections provided | Conical |
| Gas connection | Cilindrical | Gas connection rating (W) | 10200 W |
| Other gas nozzles included | G30 GPL Liquid gas | | |



Not included accessories



GRW
Wok support



GRM
Coffee machine support



WOKGHU
Cast iron WOK Support



6MP1PGF
6 Linea knobs for PGF hobs

Symbols glossary (TT)



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Heavy duty cast iron pan stands: for maximum stability and strength.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Knobs control