

# **PGF95K-4**



Product Family

Built-in type Ultra-low profile

Hob

Dimensions90 cmPower supplyMixedTypeGas

**EAN code** 8017709157012



## **Aesthetics**





Aesthetic Classica
Colour Stainless steel

Acabamento Satin

MaterialStainless SteelType of steelBrushedFrameNoPan standsCast iron

Pan standsCast ironPan Stand CoatingNo

Burners Standard
Burners Material Alluminium

Burner Coating N

Type of control setting Control knobs
Control knob position Lateral
No. of controls 5

Controls colour Steel effect

Illuminated control knobs No
Control knob protection No

Alternative colours available No

## **Program / Functions**

No. of gas cook zones 5
Total no. of cook zones 5



## **Options**

482x847 mm Corte padrão

## **Technical Features**

UR

Front-left - Gas - Semi Rapid - 1.80 kW Rear-left - Gas - Semi Rapid - 1.80 kW Central - Gas - UR - 4.00 kW

Rear-right - Gas - Semi Rapid - 1.80 kW Front-right - Gas - AUX - 1.05 kW

Gas safety valves

**Automatic Ignition** Yes

## **Accessories Included**

Cast iron wok support Other accessories Νo

## **Electrical Connection**

50/60 Hz Plug No Frequency (Hz)

**Electrical connection** 1 W Comprimento do cabo 120 cm rating (W) de alimentação

Voltage (V) 120-240 V Ficha elétrica Νo


## **Gas Connection**

Gas Type G30 GPL Liquid gas Other gas nozzles G110 City gas, G20 Natural included gas Ligação ao gás Ligação ao gás cilíndrica

Gas connection rating 9950 W

(W)







# **Compatible Accessories**

6MP1PGF

6 Botões Linea para placas PGF

GRW

Suporte para wok



**GRM** 

Suporte moka para placas a gás

**WOKGHU** 



Suporte de ferro fundido para WOK



# Symbols glossary



Perfil ultra baixo: Instalação de produto com borda plana - altura de 1 mm.



Suportes de ferro fundido para serviço pesado: para máxima estabilidade e resistência.



Controle dos botões



Queimadores ultrarrápidos: Queimadores ultrarápidos potentes oferecem até 5kw de potência.



## Benefit (TT)

#### Gas hobs

Consistent heat source control and easy, immediate temperature adjustment

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

#### Inox

Maximum resistance even at high temperatures: the stainless steel surface ensures durability and deformation resistance, withstanding thermal shocks without damage

### Cast iron

Solid and sturdy, easy to clean and maintain every day, thanks to the cast-iron pan supports—an emblem of long-lasting efficiency and durability.

#### Standard

Optimal cooking for any dish: burners combine efficiency and practicality, ensuring precise and even results even with prolonged use.

Accurate power adjustment via knobs, for more precise cooking level control

### Control knob position lateral

Greater safety: side knob placement makes them hard to reach for children, reducing the risk of accidental ignition.

5 powerful burners for a dynamic kitchen: offer ample space and flexibility to cook multiple dishes at once, simplifying meal prep and improving the cooking experience.

### Gas safety valves

Automatic protection against gas leaks: the thermocouple stops gas flow in the absence of flame, ensuring a safe environment even during unexpected shutdowns.