


# PGF95SA



|                |                   |
|----------------|-------------------|
| Product Family | Hob               |
| Built-in type  | Ultra-low profile |
| Dimensions     | 90 cm             |
| Power supply   | Gas               |
| Type           | Gas               |
| EAN code       | 8017709266455     |



## Aesthetics



|                         |                 |
|-------------------------|-----------------|
| Aesthetic               | Classica        |
| Colour                  | Stainless steel |
| Finishing               | Satin           |
| Material                | Stainless Steel |
| Type of steel           | Brushed         |
| Pan stands              | Cast iron       |
| Burners                 | Standard        |
| Burners Material        | Aluminium       |
| Type of control setting | Control knobs   |
| Control knob position   | Lateral         |
| No. of controls         | 5               |
| Controls colour         | Steel effect    |

## Program / Functions

|                         |   |
|-------------------------|---|
| No. of gas cook zones   | 5 |
| Total no. of cook zones | 5 |

## Options

|                 |            |
|-----------------|------------|
| Worktop Cut-Out | 482x847 mm |
|-----------------|------------|

## Technical Features

UR

Front-left - Gas - Semi Rapid - 1.75 kW

Rear-left - Gas - Semi Rapid - 1.75 kW

Central - Gas - UR - 3.90 kW

Rear-right - Gas - Semi Rapid - 1.75 kW

Front-right - Gas - AUX - 1.05 kW

|                   |     |                    |     |
|-------------------|-----|--------------------|-----|
| Gas safety valves | Yes | Automatic Ignition | Yes |
|-------------------|-----|--------------------|-----|

## Accessories Included


Cast iron wok support 1

## Electrical Connection

|                                  |             |                                  |                   |
|----------------------------------|-------------|----------------------------------|-------------------|
| Plug                             | Not present | Type of electric cable installed | Yes, Single phase |
| Electrical connection rating (W) | 1 W         | Frequency (Hz)                   | 50/60 Hz          |
| Voltage (V)                      | 220-240 V   | Power supply cable length        | 120 cm            |

## Gas Connection

|                            |                    |                                |         |
|----------------------------|--------------------|--------------------------------|---------|
| Gas Type                   | G30 GPL Liquid gas | Other gas connections provided | Conical |
| Gas connection             | Cilindrical        | Gas connection rating (W)      | 10200 W |
| Other gas nozzles included | G110 City gas      |                                |         |



---

## Symbols glossary

---



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Heavy duty cast iron pan stands: for maximum stability and strength.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Knobs control

---

## Benefit (TT)

---

### Gas hobs

Consistent heat source control and easy, immediate temperature adjustment

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

### Inox

Maximum resistance even at high temperatures: the stainless steel surface ensures durability and deformation resistance, withstanding thermal shocks without damage

### Cast iron

Solid and sturdy, easy to clean and maintain every day, thanks to the cast-iron pan supports—an emblem of long-lasting efficiency and durability.

### Standard

Optimal cooking for any dish: burners combine efficiency and practicality, ensuring precise and even results even with prolonged use.

Accurate power adjustment via knobs, for more precise cooking level control

### Control knob position lateral

Greater safety: side knob placement makes them hard to reach for children, reducing the risk of accidental ignition.

5 powerful burners for a dynamic kitchen: offer ample space and flexibility to cook multiple dishes at once, simplifying meal prep and improving the cooking experience.

### Gas safety valves

Automatic protection against gas leaks: the thermocouple stops gas flow in the absence of flame, ensuring a safe environment even during unexpected shutdowns.