

PGF962



| | |
|----------------|-------------------|
| Product Family | Hob |
| Built-in | Ultra-low profile |
| Dimensions | 90 cm |
| Power supply | Gas |
| Type | Gas |
| EAN code | 8017709327187 |



Aesthetics



| | |
|-------------------------|-----------------|
| Aesthetics | Classic |
| Colour | Stainless steel |
| Finishing | Brushed |
| Material | Stainless Steel |
| Type of steel | Brushed |
| Pan stands | Cast iron |
| Burners | Standard |
| Burner Material | Aluminium |
| Type of control setting | Control knobs |
| Control knobs position | Front |
| No. of controls | 6 |
| Controls colour | Steel effect |
| Logo | Silk screen |
| Serigraphy colour | Black |

Program / Functions

| | |
|-------------------------|---|
| No. of gas cook zones | 6 |
| Total no. of cook zones | 6 |

Options

| | |
|------------------|------------|
| Standard cut out | 482x847 mm |
|------------------|------------|

Technical Features



Front left - Gas - UR - 4.00 kW
 Rear left - Gas - AUX - 1.05 kW
 Front centre - Gas - AUX - 1.05 kW
 Rear centre - Gas - Semi Rapid - 1.75 kW
 Front right - Gas - UR - 4.00 kW
 Rear right - Gas - Semi Rapid - 1.75 kW

Gas safety valves Yes Automatic Ignition Yes

Accessories Included


Cast iron wok support 2

Electrical Connection

| | | | |
|------------------------|--------------|---------------------------|----------|
| Nominal power (W) | 1 W | Frequency (Hz) | 50/60 Hz |
| Voltage (V) | 220-240 V | Power supply cable length | 120 cm |
| Type of electric cable | Single phase | Plug | No |

Gas Connection

| | | | |
|----------------------------|--------------------|--------------------------------|---------|
| Gas Type | G20 Natural gas | Other gas connections provided | Conical |
| Gas connection | Cilindrical | Gas connection rating (W) | 13600 W |
| Other gas nozzles included | G30 GPL Liquid gas | | |



Compatible Accessories

6MP1PGF

6 Linea knobs for PGF hobs



GRW

Wok support



GRM

Gas hobs moka support







WOKGHU

Cast-Iron WOK Support



Symbols glossary

- | | | | |
|--|---|---|---|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Heavy duty cast iron pan stands: for maximum stability and strength. |
|  | Knobs control |  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |