


PGFU24X



| | |
|----------------|-------------------|
| Product family | Cooktop |
| Installation | Ultra-low profile |
| Dimensions | 24" |
| Power supply | Gas |
| Type | Gas |
| EAN code | 8017709299712 |



Aesthetic



| | |
|----------------------|------------------------|
| Aesthetics | Classic |
| Color | Stainless steel |
| Finishing | Satin |
| Material | Stainless steel |
| Stainless steel type | Brushed |
| Grates | Cast iron |
| Burners material | Aluminum |
| Control setting type | Control knobs |
| Controls position | Front |
| No. of controls | 4 |
| Controls color | Stainless steel effect |
| Logo | Silkscreened |
| Silkscreen color | Black |

Program / Functions

| | |
|---------|---|
| Burners | 4 |
|---------|---|

Technical Features

| | | | |
|------------------------|-----|--------------------|-----|
| Left - 3.50 kW | | | |
| Rear-center - 1.10 kW | | | |
| Front-center - 1.10 kW | | | |
| Right - 2.70 kW | | | |
| Gas safety valves | Yes | Automatic Ignition | Yes |

Accessories Included


Cast iron wok support 1

Electrical Connection

| | | | |
|---------------------|--------------|-------------------|--------------|
| Voltage | 120 V | Power cord length | 47 1/4 " |
| Electric cable type | Single phase | Plug | B |
| Frequency | 60 Hz | Plug | (B) USA 120V |

Gas Connection

| | | | |
|----------------|-----------------|----------------------------|--------------------|
| Gas Type | G20 Natural gas | Other gas nozzles included | G30 LPG liquid gas |
| Gas connection | Cylindric | Gas nominal rating | 9500 W |



Compatible Accessories

6MP1PGF

6 Linea knobs for PGF hobs



Symbols glossary



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Heavy duty cast iron pan stands: for maximum stability and strength.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Knobs control