
PGFU24X

Product family	Cooktop
Installation	Ultra-low profile
Dimensions	24"
Power supply	Gas
Type	Gas
EAN code	8017709299712



Aesthetic

Aesthetics	Classic
Color	Stainless Steel
Finishing	Satin
Material	Stainless steel
Stainless steel type	Brushed
Grates	Cast iron
Burners material	Aluminum
Control setting type	Control knobs
Controls position	Front
No. of controls	4
Controls color	Stainless steel effect
Logo	Silkscreened
Silkscreen color	Black

Program / Functions

Burners	4

Technical Features

Left - 3.50 kW
Rear-center - 1.10 kW
Front-center - 1.10 kW
Right - 2.70 kW

Gas safety valves	Yes	**Automatic Ignition**	Yes

Accessories Included


Cast iron wok support	1

Electrical Connection

Voltage	120 V	**Power cord length**	47 1/4 "
Electric cable type	Single phase	**Plug**	(B) USA 120V
Frequency	60 Hz		

Gas Connection

Gas Type	G20 Natural gas	**Other gas nozzles included**	G30 LPG liquid gas
Gas connection	Cylindric	**Gas nominal rating**	9500 W



Compatible Accessories



6MP1PGF

6 Linea knobs for PGF hobs

Symbols glossary



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Heavy duty cast iron pan stands: for maximum stability and strength.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Knobs control