

PGFU24X



Product family

Cooktop

Installation

Ultra-low profile

Dimensions

24"

Power supply


Gas

Type

Gas

EAN code

8017709299712



Aesthetic



Aesthetics

Classic

Color

Stainless steel

Finishing

Satin

Material

Stainless steel

Stainless steel type

Brushed

Grates

Cast iron

Burners material

Aluminum

Control setting type

Control knobs

Controls position

Front

No. of controls

4

Controls color

Stainless steel effect

Logo

Silkscreened

Silkscreen color

Black

Program / Functions

Burners

4

Technical Features

Left - 3.50 kW

Rear-center - 1.10 kW

Front-center - 1.10 kW

Right - 2.70 kW

Gas safety valves

Yes

Automatic Ignition

Yes

Accessories Included


Cast iron wok support 1

Electrical Connection

Voltage	120 V	Power cord length	47 1/4 "
Electric cable type	Single phase	Plug	(B) USA 120V
Frequency	60 Hz		

Gas Connection

Gas Type	G20 Natural gas	Other gas nozzles included	G30 LPG liquid gas
Gas connection	Cylindric	Gas nominal rating	9500 W





Compatible Accessories

6MP1PGF

6 Linea knobs for PGF hobs



Symbols glossary



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Heavy duty cast iron pan stands: for maximum stability and strength.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Knobs control