


PGFU24X2



Product Family
Built-in type
Dimensions
Power supply
Type
EAN code

Hob
Ultra-low profile
24"
Gas
Gas
8017709347437



Aesthetics



Aesthetic
Colour
Finishing
Material
Type of steel
Pan stands
Burners Material
Type of control setting
Control knob position
No. of controls
Controls colour
Logo
Serigraphy colour

Classica
Stainless steel
Satin
Stainless Steel
Brushed
Cast iron
Alluminium
Control knobs
Front
4
Steel effect
Silk screen
Black

Program / Functions

No. of gas cook zones 4

Technical Features

Left - 12000 BTU
Rear-centre - 4000 BTU
Front-centre - 4000 BTU
Right - 9000 BTU

Gas safety valves Yes Automatic Ignition Yes

Accessories Included


Cast iron wok support 1

Electrical Connection

Electrical connection rating (W)	1 W	Frequency (Hz)	60 Hz
Voltage (V)	120 V	Power supply cable length	47 1/4 "
Type of electric cable	Single phase	Plug	(B) USA 120V

Gas Connection

Gas Type	G20 Natural gas	Other gas nozzles included	G30 GPL Liquid gas
Gas connection	Cilindrical		



Compatible Accessories

6MP1PGF

6 Linea knobs for PGF hobs



Symbols glossary

- | | | | |
|--|---|---|---|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Heavy duty cast iron pan stands: for maximum stability and strength. |
|  | Knobs control |  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |